

🏠 (/bin/view/Main/) ▾ / Gemini PDA (/bin/view/Gemini%20PDA/) ▾  
/ Mobile Data Debian (/bin/view/Gemini%20PDA/Mobile%20Data%20Debian/) ▾

# Mobile Data Debian

Last modified by Marius Janke (/bin/view/XWiki/Ignatz) on 2018/07/04 17:54

Initial:

```
apt-get install dialer-app messaging-app
sudo groupadd -g 1001 radio
sudo useradd -u 1001 -g 1001 -s /usr/sbin/nologin radio
sudo systemctl enable ofono
sudo systemctl start ofono
ofono-setup
```

Every Boot:

```
cd /usr/share/ofono/scripts
```

Check for Modem (optional):

```
./list-modems
```

Pin and APN: 1234 and APN need to be changed of course. (APN is provider specific)

```
./enable-modem
./enter-pin pin 1234
./create-internet-context APN
```

Turning on:

```
./online-modem
./activate-context
```

if `./activate-context` throws an error, just try again, it helped for me.

src:

<https://github.com/gemian/gemini-keyboard-apps/wiki/DebuggingMobile> (<https://github.com/gemian/gemini-keyboard-apps/wiki/DebuggingMobile>)

<https://embexus.com/tag/connman/> (<https://embexus.com/tag/connman/>)

Tags:

Created by Marius Janke (</bin/view/XWiki/Ignatz>) on  
2018/07/04 17:51

No comments for this page